INCENSE CEDAR

Calocedrus decurrens (Torr.) Florin

plant symbol = CADE27

Contributed By: USDA, NRCS, National Plant Data Center



Trees of the Pacific Northwest Oregon State University

Alternative Names

California incense cedar, California white cedar, bastard cedar, California calocedar, post cedar, white cedar, red cedar

Uses

Medicinal: A decoction of the leaves was used to treat stomach troubles (Moerman 1998). Steam from an infusion of incense cedar bark was inhaled in the treatment of colds (Ibid.). The bark was used to make baskets and the twigs were used to make brooms.

Economic: Incense cedar has aromatic wood that resists decay and insects. The wood is used as window sashes, sheathing under stucco or brick

veneer construction, mudsills, fencing, greenhouse benches, and poles. It is also widely used for interior and exterior siding. The soft and pliable wood makes it one of the few species suitable for making pencils.

Landscaping & Wildlife: Incense cedar is an attractive landscape tree that is excellent for large areas and formal plantings (Dirr 1990). This tree is a splendid park and large home-grounds species in climates suitable for them (Lemmon 1952). It is browsed moderately by mule deer. The seeds are eaten by small mammals. This species is primarily used by wildlife species for cover.

Agroforestry: Calocedrus decurrens is used in tree strips for windbreaks. It is planted and managed to protect livestock, enhance production, and control soil erosion. Windbreaks can help communities with harsh winter conditions better handle the impact of winter storms and reduce home heating costs during the winter months. Incense cedar is also widely planted in the mountains for erosion control.

Status

Please consult the PLANTS Web site and your State Department of Natural Resources for this plant's current status, such as, state noxious status and wetland indicator values.

Description

General: Cypress family Cupressaceae. Incense cedar (Calocedrus decurrens is a medium sized tree eighty to one hundred twenty feet high (Preston 1989). The leaves are small, scale-like, oblong-ovate, in whorls of four, decurrent, and closely adnate on the branchlets and aromatic when crushed. The flowers are monecious, appearing in January on the ends of short lateral branchlets of the previous year. The fruit is reddish-brown or yellowish-brown that ripens in the early autumn and remains on the tree until spring. The bark is bright cinnamon-red, broken into irregularly ridges, and covered with closely appressed plate-like scales (Sargent 1961).

Distribution: Calocedrus decurrens is native to the mountains from western Oregon in higher Coast Ranges and Sierra Nevada to southern California and western Nevada. For current distribution, please consult the Plant profile page for this species on the PLANTS Web site.

Adaptation

Incense cedar prefers moist, well-drained, fertile soil. It grows best in full sun or light shade. This species is not tolerant of smoggy or wind-swept conditions (Dirr 1990). It shows good adaptability to different

soil types (Ibid.). This tree is often found in mixed coniferous stands with sugar pine, ponderosa pine, Jeffrey pine, western white pine, white fir, and Douglas fir (Preston 1989).

Establishment

Propagation for Seed: Sow seeds in the early spring in a greenhouse. Seeds require a stratification period for about eight weeks at 32-40°F for good germination. When the seedlings are large enough to handle, place them into individual pots to grow in a light shaded area in a greenhouse or cold frame for the first winter. Plant them out in the late spring or early summer.

Management

Incense cedar has aromatic wood that resists insects and decay. Practically no pests attack the tree, but in the forests where it is native, mature tree trunk are often infested with dry rot of the heartwood (Wyman 1965).

In its younger years, especially when growing strongly in the open, incense cedar forms an almost geometrically perfect pyramid, its lower branches nearly touching the ground, and the whole mass so densely overlapping that it sheds both rain and snow (Lemmon 1952). In old age, after battling the elements for perhaps a thousand years, it is far more irregular and picturesque, often with several summits trying to replace the old one destroyed long before lightening or a great wind (Ibid.).

Cultivars, Improved and Selected Materials (and area of origin)

Please check the Vendor Database, expected to be on-line through the PLANTS Web site in 2001 by clicking on Plant Materials.

References

Britton, N.L. 1908. *North American trees*. Henry Holt & Company, New York, New York.

Dirr, M.A. 1990. *Manual of woody landscape plants: their identification, ornamental characteristics, culture, propagation, and uses.* 4th ed. Stipes Publishing Co., Champaigne, Illinois.

Dirr, M.A. 1997 *Dirr's hardy trees and shrubs: an illustrated encyclopedia*. Timber Press, Portland, Oregon.

Dirr, M.A. & C.W. Heuser, Jr. 1987. *The reference manual of woody plant propagation: from seed to tissue culture.* Varsity Press, Athens, Georgia.

Grimm, W.C. 1967. *Familiar trees of America*. Harper & Row, Publishers, New York, New York.

Lape, F. 1965. A garden of trees and shrubs: practical hints for planning and planting an arboretum. Comstock Publishing Associates, Ithaca, New York.

Moerman, D. 1998. *Native American ethnobotany*. Timber Press, Oregon.

Oregon State University 2001. *Trees of the Pacific Northwest*. Corvallis, Oregon. Accessed: 11jan02. http://www.orst.edu/instruct/for241/con/spp/icdrspp.html

Pojar, J & A. MacKinnon 1994. *Plants of the Pacific Northwest coast: Washington, Oregon, British Columbia, and Alaska*. Lone Pine Publishing, Redmond, Washington.

Preston, R.J., Jr. 1948. *North American trees*. 2nd ed. The Iowa State College Press, Ames, Iowa.

Preston, R.J., Jr. 1989. *North American trees*. 4th ed. Iowa State University Press, Ames, Iowa.

Rehder, A. 1990. *Manual of cultivated trees and shrubs: hardy in North America*. 2nd ed. Dioscorides Press, Portland, Oregon.

Sargent, C.S. 1961. *Manual of the trees of North America*. Vol. 1. Dover Publications, Inc., New York, New York.

Taylor, N. 1965. *The guide to garden shrubs and trees*. Houghton Mifflin Company, Boston, Massachusetts

Wyman, D. 1965. *Trees for American gardens*. The MacMillan Company, New York, New York.

Prepared By:

Lincoln M. Moore USDA, NRCS, National Plant Data Center Baton Rouge, Louisiana

Species Coordinator

Lincoln M. Moore USDA, NRCS, National Plant Data Center Baton Rouge, Louisiana

Edited: 09jan02 jsp

For more information about this and other plants, please contact your local NRCS field office or Conservation District, and visit the PLANTS Web site http://plants.usda.gov>.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.